

# instance\_type2.ep

## general

New VM

General

Extended Properties

System

Initial Run

Console

Host

High Availability

Resource Allocation

Boot Options

Custom Properties

ClusterCluster2/dc

ImageFed 18 64bit

Instance Typemedium

Quotaqa\_dep

OSLinux

Optimize forweb server

Name

Description

☐ Stateless

☒ Delete Protected

VM has 3 Nics. Assign them to the Cluster's Virtual networks.

Nic1Red

Nic2Red

Nic3Blue

Advanced Mode

OK

cancel

# cluster

New VM

General

Extended Properties

System

Initial Run

Console

Host

High Availability

Resource Allocation

Boot Options

Custom Properties

Cluster

Quota

Name

Description

Cluster2/dc

▼

Cluster1

Data Center Default

Cluster2

Data Center Marseille

Cluster3

Data Center Boston

Image

Fed 18 64bit

▼

Instance Type

medium

▼

Optimize for

web server

▼

☐ Stateless

☒ Delete Protected

VM has 3 Nics. Assign them to the Cluster's Virtual networks.

Nic1

Red

▼

Nic2

Red

▼

Nic3

Blue

▼

Advanced Mode

OK

cancel

## instance type

New VM

General

Extended Properties

System

Initial Run

Console

Host

High Availability

Resource Allocation

Boot Options

Custom Properties

Cluster

Cluster2/dc

Image

Fed 18 64bit

Instance Type

medium

Quota

qa\_dep

OS

Linux

Name

Description

Basic

medium

Large

Custom

Desc of Basic, eg: 1 CPU, 4 GB Mem...

Desc of Medium, eg: 2 CPU, 6 GB Mem...

Desc of Large, eg: 4 CPU, 8 GB Mem...

User can custom his VM ...

Stateless

Delete Protected

VM has 3 Nics. Assign them to the Cluster's Virtual networks.

Nic1

Red

Nic2

Red

Nic3

Blue

Advanced Mode

OK

cancel

## select Image

New VM

General

Extended Properties

System

Initial Run

Console

Host

High Availability

Resource Allocation

Boot Options

Custom Properties

Cluster

Cluster2/dc

Quota

qa\_dep

Name

Description

☐ Stateless

☒ Delete Protected

VM has 3 Nics. Assign them to the Cluster's Virtual networks.

Nic1

Red

Nic2

Red

Nic3

Blue

Image

Fed 18 64bit

OS

OpSol\_amp

Open solaris for web

rhel5

Basic rhel5

Template

win 2008

Windows 8 + ms sql

Fed 18 64bit

Fedora 18 basic

Instance Type

medium

for

web server

Advanced Mode

OK

cancel

## select Image

New VM

General

Extended Properties

System

Initial Run

Console

Host

High Availability

Resource Allocation

Boot Options

Custom Properties

Cluster

Cluster2/dc

Image

T.rhel5

Instance Type

custom

Quota

qa\_dep

OS

Linux

Optimize for

web server

Name

Description

Stateless

Delete Protected

VM has 2 Nics. Assign them to the Cluster's Virtual networks.

Nic1

Red

Nic2

Red

Advanced Mode

OK

cancel

# system

New VM

General

Extended Properties

System

Initial Run

Console

Host

High Availability

Resource Allocation

Boot Options

Custom Properties

ClusterCluster2/dc

ImageFed 18 64bit

Instance Typemedium

Quotaqa\_dep

OSLinux

Optimize forweb server

#CPU4

Mem16 GB

By changing this value, the VM won't be based on an Instance Type anymore

Advanced Mode

OKcancel

# system

New VM

General

Extended Properties

System

Initial Run

Console

Host

High Availability

Resource Allocation

Boot Options

Custom Properties

Cluster

Cluster2/dc

Image

Fed 18 64bit

Instance Type

Not applicable

Quota

qa\_dep

OS

Linux

Optimize for

web server

#CPU

6

Mem

16 GB

Advanced Mode

OK

cancel

## Advanced

New VM

General

Extended Properties

System

Initial Run

Console

Host

High Availability

Resource Allocation

Boot Options

Custom Properties

Cluster

Cluster2/dc

Image

Fed 18 64bit

Instance Type

Not applicable

Quota

qa\_dep

OS

Linux

Optimize for

web server

Core / Socket

2

Virtual Socket

2

Mem

16 GB

Basic Mode

OK

cancel

more content